




Shape Memory Alloy Research and Development at NASA Glenn Current and Future Progress




Othmane Benafan– NASA Glenn
High Temperature & Smart Alloys Branch
Materials and Structures Division




Jul. 16, 2015

Shape Memory Alloys: An Introduction

Variant selection



Simplified 2D



Microstructure



Courtesy of A. Garg


Shape Memory Alloys: An Introduction

Macroscopic



Courtesy of UCF


Microscopic



Courtesy of NWU

- SMA actuators can generate motion in one dimension (wire form), two dimensions (bending of a bar) or even motion in a more complex three dimensions (springs, honeycombs)
- Functionality: Tension (e.g., wires, springs), compression (e.g., rods, springs), bending (e.g., beams, plates), torsion (e.g., rods, tubes, and springs)

Research and Understanding of Shape Memory Alloys




1. Applied Research


2. Alloy Processing & Development

3. Testing and Modeling

4. Applications



Research and Understanding of Shape Memory Alloys




1. Applied Research

2. Alloy Processing & Development

3. Testing and Modeling


4. Applications



Development of Shape Memory Alloys:

NiTi –Based HTSMAs

NiTiHf



Processing and Workability of HTSMAs

NiTiPt


**Induction Melt
+
Homogenization**



Extrusion




Wire Grinding



44 & 5 mil NiTiPt

Wire Drawing



5 mil NiTiPt wire

**Multiple-Pass Extrusion
60 mil NiTi-20Pt rod**




Processing and Workability of HTSMAs


NiTiHf



Successful hot rolled button (C. Wojcik 2008)




High temperature extrusion proved to be problematic (C. Wojcik 2008)



Successful hot extrusion (rods and tubes)

Research and Understanding of Shape Memory Alloys




1. Applied Research



2. Alloy Processing & Development

3. Testing and Modeling

4. Applications




- **Rate** evolution equation for $\alpha_g^{(b)}$ with hardening and recovery
- Total (**secant**) evolution with **nonl**
- For $b=1,2$, **saturation** state defined by temperature dependent threshold
- For $b=3$, **unbounded** secant hardening




Thermomechanical Testing

Uniaxial (tension/compression)


Isothermal monotonic




Isothermal cyclic



Isobaric cyclic



Isostrain cyclic



Durability


- New frames for durability testing are underway
 - Durability analysis of sample and components
 - Generate data for existing materials

Multiaxial


Geometries



- Proportional/non-proportional loading
- 3D strain measurement
- Torque/force/twist/displacement control capability




Torsion



Hot grip testing



Research and Understanding of Shape Memory Alloys




1. Applied Research

2. Alloy Processing & Development


3. Testing and Modeling

4. Applications




SMA Existing and Potential Applications

Automotive




Aerospace



Robotics



Biomedical



Space
Home goods
Energy
harvesting
Toys


Shape Memory Alloy Applications

Space



SMA Bellows

- Dynamic sealing
- Fluid handling
- Flexibility (structure alignment)




SMA Docking Coupling

- Cryogenic transfer coupling
- Orbital propellant depots
- Propellant handling/protection



SMA Spring Tire

- Superelastic technology
- Lunar rovers
- Terrestrial tires



SMA Thermal Switch

- Thermal management
- Clean & spark-free operation
- Passive or active control



SMA rock splitters



SMA Bearings


- Corrosion resistant
- Non-galling properties
- High yield

RXN

Shape Memory Alloy Applications


Aeronautics

Shape change region



Adaptive Fan Blade

- Embedded SMA actuators
- Aerodynamic efficiency
- Specific fuel consumption reduction





SMA Cellular Structures

- Airframe and engine components
- Morphing airfoils
- Light weight trusses

The Mars Atmosphere and Volatile Evolution (MAVEN) mission.

- SMA Pinpullers (From *TiNi Aerospace*) were used to secure and release deployables



Variable Area Nozzle

- High bypass turbofan
- SMA torque tubes provide flap rotation
- Engine noise reduction



Shape Memory Alloy Applications

Non-Aerospace Potential

Oil and Gas Industry

- SmartRAM™ actuators (*LMP*)
- SMA couplings (Aerofit Inc)
- Deep-water valves/shut off valves
- Self-torquing fasteners



Other Applications


- Home appliances
- Electronics
- Transportation
- Air conditioners

Medical Industry

- Surgical tools
- Stents and implants
- Glasses frames



CORVETTE'S HEAT-ACTIVATED 'SMART MATERIAL'



Automotive Industry

- Louvers
- Quiet actuators
- Door handle

Development of Shape Memory Alloys: Challenges

High transformation temperatures

- Above 100 °C
- Good work output
- Thermal stability

Durability

- Loading history
- Functional fatigue
- Structural fatigue

Modeling

- Micromechanics
- Phenomenological
- Evolutions/transients

Challenges in

microstructures

Micromechanics

Design

Applications

Workability/Processing

- Ductility
- Composition control
- Heat treatment
- Large scale

Dimensional stability

- Cyclic stability
- Stress-strain relationship

Design Tools

- Testing standards
- Design handbooks
- Database

SMA Team at NASA GRC

- Santo Padula II
- Ron Noebe
- Glen Bigelow
- Anita Garg
- Darrell Gaydos
- Timothy Halsmer
- Oummane Benafan
- (Branch Chiefs: Joyce Dever, Bob Carter)

